# HILLYARD The Cleaning Resource\*

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier RECLAIM STAIN REMOVER POWDER

Other means of identification

SDS number 217SR Product code HIL01715

Recommended use Detergent Additive.

Recommended restrictions For Labeled Use Only

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HILLYARD INDUSTRIES
Address 302 North Fourth St.
St. Joseph, MO 64501

Contact person Regulatory Affairs

**Telephone number** (800) 365-1555 (Ext. 8206)

Fax (816) 383-8406

**E-mail** regulatoryaffairs@hillyard.com

**Emergency telephone #** (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

# 2. Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsAcute toxicity, oralCategory 5Acute toxicity, dermalCategory 5Skin corrosion/irritationCategory 1ASerious eye damage/eye irritationCategory 1

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

Category 2

Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. May be corrosive to metals. May be harmful if

swallowed. May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

Toxic to aquatic life.

Precautionary statement

**Prevention** Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin

thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Keep only in original container.

Material name: RECLAIM STAIN REMOVER POWDER

HIL01715 Version #: 02 Revision date: 05-23-2025 Issue date: 12-14-2017

Response Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with

> water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material

damage.

Storage Store locked up. Store in a corrosive resistant container.

**Disposal** Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name Common name and synonyms		CAS number	%	
Sodium Hydroxide		1310-73-2	30	
Sodium metasilicate		6834-92-0	15	
Sodium Carbonate		497-19-8	12	
Sodium Dichloroisocyanurate		51580-86-0	3	
Other components below reportable	e levels		40	

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Material name: RECLAIM STAIN REMOVER POWDER

SDS US

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container.

### 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Sodium Hydroxide (CAS	PEL	2 mg/m3
1310-73-2)		

**US. ACGIH Threshold Limit Values (TLV)** 

Components Value Type Sodium Hydroxide (CAS Ceiling 2 mg/m3 1310-73-2)

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components **Type** Value Sodium Hydroxide (CAS **IDLH** 10 mg/m3 1310-73-2)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Value Components Type Sodium Hydroxide (CAS Ceiling 2 mg/m3

1310-73-2)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Material name: RECLAIM STAIN REMOVER POWDER

SDS US HIL01715 Version #: 02 Revision date: 05-23-2025 Issue date: 12-14-2017

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear protective gloves.

Other Avoid contact with the skin. Wear eye/face protection. Wear protective gloves and protective

clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

Thermal hazards None known.

**General hygiene considerations** Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** White powder

Physical state Solid.
Form Powder.
Color White
Odor Odorless.
Odor threshold Not available.

**pH** 12 - 13 (1% Solution)

Melting point/freezing pointNot availableInitial boiling point and boilingNot available

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%) Not available.

Vapor pressure Not available

Vapor density Not available

Relative density Not available

Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density

Explosive properties

Oxidizing properties

Not explosive.

Not oxidizing.

VOC

Not available

### 10. Stability and reactivity

**Reactivity** May be corrosive to metals.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Contact with incompatible materials. Will react with some metals forming flammable hydrogen Conditions to avoid

gas. Will react with acids to produce chlorine gas.

Incompatible materials Acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead,

tin, zinc or other alkali sensitive metals or alloys. Avoid contact with leather, wool, organic nitro

compounds.

Hazardous decomposition

products

At flame temperatures, chlorine gas may be liberated. Toxic fumes of sodium oxide.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May be harmful in contact with skin.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

including blindness could result.

### Information on toxicological effects

May be harmful in contact with skin. May be harmful if swallowed. **Acute toxicity** 

Components **Species Test Results** 

Sodium Carbonate (CAS 497-19-8)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2300 mg/m3, 2 Hours

Oral

LD50 Rat 2.8 g/kg

Sodium Hydroxide (CAS 1310-73-2)

**Acute Dermal** 

LD50 Rabbit 1350 mg/kg

Oral

LD50 Rat 140 - 340 mg/kg

Sodium metasilicate (CAS 6834-92-0)

**Acute** 

Oral

LD50 Rat 1280 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

### Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Material name: RECLAIM STAIN REMOVER POWDER

SDS US HIL01715 Version #: 02 Revision date: 05-23-2025 Issue date: 12-14-2017

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Species

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

**Product** 

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

FIU	uuci		Species	rest ixesuits			
REC	CLAIM STAIN REMOVER	R POWDER					
	Aquatic						
	Crustacea	EC50	Daphnia	105.9399 mg/l, 48 hours			
	Fish	LC50	Fish	386.6906 mg/l, 96 hours			
	Acute						
	Crustacea	EC50	Daphnia	105.9399 mg/l, 48 hours estimated			
	Fish	LC50	Fish	357.1429 mg/l, 96 hours estimated			
Con	nponents		Species	Test Results			
Sodium Carbonate (CAS 497-19-8)							
	Aquatic						
	Acute						
	Crustacea	EC50	Water flea (Ceriodaphnia dubia)	156.6 - 298.9 mg/l, 48 hours			
	Fish	LC50	Bluegill (Lepomis macrochirus)	300 mg/l, 96 hours			
Sodium Hydroxide (CAS 1310-73-2)							
	Aquatic						
	Acute						
	Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/l, 48 hours			
	Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours			

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

**Bioaccumulative potential** No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

**Test Results** 

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: RECLAIM STAIN REMOVER POWDER

SDS US HIL01715 Version #: 02 Revision date: 05-23-2025 Issue date: 12-14-2017

Hazardous waste code D002: Waste Corrosive material [pH ≤2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

General information PACKAGES 2.2 LBS. OR LESS ARE SHIPPED LIMITED QUANTITY.

### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Corrosive to metal

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*AustraliaAustralian Inventory of Industrial Chemicals (AICIS)YesCanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)NoChinaInventory of Existing Chemical Substances in China (IECSC)Yes

Material name: RECLAIM STAIN REMOVER POWDER

SDS US

HIL01715 Version #: 02 Revision date: 05-23-2025 Issue date: 12-14-2017

Country(s) or region Inventory name On inventory (yes/no)\*

European Inventory of Existing Commercial Chemical

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No

Japan Inventory of Existing and New Chemical Substances (ENCS) No

Korea Existing Chemicals List (ECL)

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

# 16. Other information, including date of preparation or last revision

**Issue date** 12-14-2017 **Revision date** 05-23-2025

Version # 02

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 1

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

**Revision information** Identification: Recommended restrictions

Physical & Chemical Properties: Multiple Properties

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Transport information: General information

**GHS: Classification** 

Material name: RECLAIM STAIN REMOVER POWDER

SDS US

No

No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).