HILLYARD The Cleaning Resource*

SAFETY DATA SHEET

1. Identification

Product identifier IRON REMOVING SOUR 59

Other means of identification

SDS number 187

Product code HIL03541

Recommended useIron Removing Sour.Recommended restrictionsFor Labeled Use OnlyManufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HILLYARD INDUSTRIES
Address 302 North Fourth St.
St. Joseph, MO 64501

Contact person Regulatory Affairs

Telephone number (800) 365-1555 (Ext. 8206)

Fax (816) 383-8406

E-mail regulatoryaffairs@hillyard.com

Emergency telephone # (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

2. Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsAcute toxicity, oralCategory 4Skin corrosion/irritationCategory 1BSerious eye damage/eye irritationCategory 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. May be corrosive to metals.

Precautionary statement

Prevention Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke

when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Keep only in original container.

Material name: IRON REMOVING SOUR 59

Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with Response

> water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF

SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do

NOT induce vomiting. Absorb spillage to prevent material damage.

Storage Store locked up. Store in a corrosive resistant container.

Disposal Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Fluorosilicic acid		16961-83-4	25
Other components below	reportable levels		75

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer

oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea,

headache, or dizziness, get immediate medical attention.

Skin contact Immediately flush with water for at least 15-20 minutes while removing contaminated clothing

and shoes, paying particular attention to skin under the nails. Always get medical attention no matter how minor skin burns appear. Wash contaminated clothing before reuse, but destroy

contaminated shoes.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical Ingestion

attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or

unconscious person.

Most important symptoms/effects, acute and delayed

Corrosive. Contact may cause severe eye irritation, eye burns, and permanent eye damage. Contact may cause severe skin irritation, skin burns, and permanent skin damage. Harmful if inhaled. May cause severe irritation and burns of the nose, throat, and respiratory tract. Harmful or fatal if swallowed. May cause severe irritation and burns of the mouth, throat and digestive tract. Symptoms of overexposure may include ulceration of the nose and throat, coughing, salivation, headache, fatique, dizziness, nausea, shock, and pulmonary edema (accumulation of fluid around the lungs). May lead to coma or death. Onset of symptoms may be delayed. Prolonged or repeated overexposure to fluoride compounds may cause fluorosis. Fluorosis is characterized by skeletal changes, consisting of osteosclerosis (hardening or abnormal density of bone) and osteomalacia (softening of bones) and by mottled discoloration of the enamel of teeth (if exposure occurs during enamel formation). Symptoms may include bone and joint pain and limited range of motion. Conditions aggravated by exposure may include skin and respiratory (asthma-like) disorders.

Indication of immediate medical attention and special treatment needed

Beware of late onset of pulmonary edema for up to 48 hours. Treat severe burns similar to hydrofluoric acid exposure.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Note to physician: Beware of late onset of pulmonary edema for up to 48 hours. Treat severe burns similar to hydrofluoric acid exposure.

Material name: IRON REMOVING SOUR 59

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Contact with metals may evolve flammable hydrogen gas. Keep container cool with water, using fog nozzles, as decomposition will occur above 222°F and produce toxic and corrosive fumes of fluoride.

Hazardous combustion products: When heated to decomposition (222°F), it emits highly toxic and corrosive fumes of hydrofluoric acid, silicon tetrafluoride and hydrogen gas.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container.

8. Exposure controls/personal protection

Occupational exposure limits
Biological limit values

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear protective gloves and protective clothing.

Material name: IRON REMOVING SOUR 59

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory Respiratory protection

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

Thermal hazards None known.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear, red orange liquid

Physical state Liquid. **Form** Liquid. Color Red orange Odor **Pungent**

Odor threshold Not available.

1 - 1.4 (1% Solution) pН

Melting point/freezing point Initial boiling point and boiling

222 °F (105.56 °C)

Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. 1.234 at 77°F Relative density

Solubility(ies)

Solubility (water) Soluble

Partition coefficient

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 10.28 lb/gal **Explosive properties** Not explosive. Oxidizing properties Not oxidizing. 76 - 77 % Percent volatile VOC Not available

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials. Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials Avoid contact with metals, stoneware, strong acids and alkalies, explosives, toxicants, readily

oxidizable materials, alkali metals, combustible solids, and organic peroxides.

Hazardous decomposition

products

When heated to decomposition (222°F), it emits highly toxic and corrosive fumes of hydrofluoric

acid, silicon tetrafluoride and hydrogen gas.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

including blindness could result.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Fluorosilicic acid (CAS 16961-83-4)

<u>Acute</u>

Oral

LD50 Rat 430 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: IRON REMOVING SOUR 59
HIL03541 Version #: 02 Revision date: 05-19-2025 Issue date: 11-20-2017

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH ≤2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

DOT

UN1778 **UN** number

UN proper shipping name Transport hazard class(es) Fluorosilicic acid

8 Class **Subsidiary hazard** Label(s) 8 Packing group Ш

Environmental hazards

Marine pollutant No.

Special precautions for user Not assigned.

Special provisions A6, A7, B2, B15, IB2, N3, N34, T8, TP2, TP12

Packaging exceptions None 202 Packaging non bulk Packaging bulk 242 **ERG** number 154

IATA

UN number UN1778

Fluorosilicic acid **UN** proper shipping name

Transport hazard class(es)

Class 8 Subsidiary hazard Packing group Ш **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Not assigned.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN1778

UN proper shipping name FLUOROSILICIC ACID

Transport hazard class(es)

Class 8 **Subsidiary hazard** Packing group Ш

Environmental hazards

Marine pollutant No. **EmS** F-A, S-B Special precautions for user Not assigned.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Corrosive to metal

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: IRON REMOVING SOUR 59

SDS US

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

European List of Notified Chemical Substances (ELINCS) Europe Yes Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

16. Other information, including date of preparation or last revision

11-20-2017 Issue date 05-19-2025 Revision date

Version # 02

HMIS® ratings Health: 3

> Flammability: 0 Physical hazard: 1

Disclaimer No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Revision information Identification: Recommended restrictions

> First-aid measures: Ingestion First-aid measures: Inhalation First-aid measures: Skin contact First-aid measures: General information

Fire-fighting measures: Specific hazards arising from the chemical

Physical & Chemical Properties: Multiple Properties Disposal considerations: Contaminated packaging

SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).